

CL-W6059

Premium Grade 60-Day Stucco Duct Tape

[Gray]

CL-W6059 is a premium grade gray cloth duct tape developed for professional stucco contractors. It is used to protect vinyl windows, profiles and door frames during outdoor stucco application on building walls and is recommended by Milgard for use with their vinyl and fiberglass windows. This tape is engineered with a high performance rubber adhesive designed to provide superior holding power in hot temperatures and limit residue when removed within a 60-day period.

Application

- Designed to protect window and door frames in outdoor stucco masking applications
- Designed for single family, multi-family and commercial construction projects
- Used in two- and three-step stucco processes (scratch, brown and finish) where the protective barrier is left in place throughout the entire application

Features & Benefits

- Excellent holding power and durability
- Outstanding UV resistance lasting up to 60 days
- Residue free under extreme summerlike weather conditions
- Conforms to uneven surfaces
- Holds strong which prevents lifting
- Can be torn by hand, leaving a clean and straight edge
- Does not curl or splinter making it easy to apply



- Recommended by Milgard to mask their vinyl and fiberglass windows

Storage & Usage Conditions

Store tape in its original packaging away from direct sunlight and in a cool and dry area. For optimum performance, tape should be used within 12 months of date of shipment. Tape works best when applied to a surface that is clean, dry and free of grease, oil or other contaminants.

Sizes

1.89 in x 60 yd | 48mm x 55m

Technical Data

Carrier	Waterproof Polyethylene Coated Cloth
Adhesive	Rubber
Total Thickness	13 mils
Tensile	25 lbs/in
Adhesion	24 oz/in
Color	Gray

The information cited is in good faith and has been established from sources held to be secure and reliable. The values listed are typical properties. Individual rolls may vary slightly from these values. All ECHOtape products are warranted to be free of defects at time of shipment. Many factors can affect the use and performance of a product in a particular application and the user must, by test or otherwise, determine suitability for purpose; Edelstein makes no representation or warranty, express or implied,



concerning any application and usage of its products. If ECHOtape product is proved to be defective, the exclusive remedy, shall be for Edelstein to replace the defective product. ECHOtape shall not otherwise be liable for loss or damages, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including but not limited to, contract, negligence, warranty or strict liability.