

OV-G5211

Self Wound Polypropylene Overlamination Film w/ Glossy Finish

OV-G5211 is a 0.95 mils, self wound, overlamination film offering high strength in the machine and cross directions. This film is coated with a high grade, water clear, emulsion acrylic system. OV-G5211 offers excellent acid, chemical and oil resistance and meets FDA specifications: 21 CFR 175.105 and CFR 177.1520.

Application

- Beverage and food container
- Computer printable decals
- Electric appliances
- Electronics
- Insurance cards
- Pharmaceutical applications
- Reinforcing
- Screen print
- Toys

Features & Benefits

- Improves label strength while offering enhanced gloss and clarity
- Excellent moisture, abrasion, chemical, UV light and oil resistance



Storage & Usage Conditions

Store tape in its original packaging away from direct sunlight and in a cool and dry area. For optimum performance, tape should be used within 12 months of date of shipment. Tape works best when applied to a surface that is clean, dry and free of grease, oil or other contaminants.

Sizes

Custom Slitting

Technical Data

Carrier	BOPP 0.75 mils
Adhesive	Water-Based Acrylic
Total Thickness	.95 mils
Tensile	14 lbs/in
Adhesion	12 oz/in
Service Temperature	-10°F to 200°F (-23°C to 93°C)
Application Temperature	32°F to 140°F (0°C to 60°C)
Elongation	140%
Color	Transparent

The information cited is in good faith and has been established from sources held to be secure and reliable. The values listed are typical properties. Individual rolls may vary slightly from these values. All ECHOtape products are warranted to be free of defects at time of shipment. Many factors can affect the use and performance of a product in a particular application and the user must, by test or otherwise, determine suitability for purpose; Edelstein makes no representation or warranty, express or implied,



concerning any application and usage of its products. If ECHOtape product is proved to be defective, the exclusive remedy, shall be for Edelstein to replace the defective product. ECHOtape shall not otherwise be liable for loss or damages, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including but not limited to, contract, negligence, warranty or strict liability.